

**KANNUR UNIVERSITY**  
**Planning & Development Branch**  
(C Section)

**NOTICE INVITING TENDERS**

PI.D/C3/8788/Dept of Mol.Bio/Dr JAC/2022

Dated 02.03.2023

Sealed competitive tenders are invited from registered Contractors for Electrical works at Department of Molecular Biology at Thalassery Campus, Palayad of Kannur University.

Sl.No.	Name of work	EMD	Time for completing the work	Last date of submission
1	Electrical works at Department of Molecular Biology at Thalassery Campus, Palayad of Kannur University.	Rs.5,700/-	45 days	10.03.2023 3.00pm


**Conditions**

1. Tender form can be had from Kannur University website [www.kannuruniversity.ac.in](http://www.kannuruniversity.ac.in).
2. Cost of tender form is 500/-+GST to be remitted separately as DD drawn in favour of The Finance Officer, Kannur University.
3. The tender, tender form and an initial agreement executed and signed in Kerala stamp Paper of value Rs.200/- should be sent to the University before the due date.
4. The successful tenderer should deposit a sum equivalent to 5% of the value of the contract as Security Deposit before signing the agreement within the period specified in the letter of acceptance of the tender.
5. The rate should be inclusive of all taxes and nothing extra shall be admissible over and above the rate quoted.
6. The payment will be made through account payee cheque and no advance payment will be sanctioned.
7. Received tenders will be opened on 10.03.2023 at 3.30 pm.

Details of work can be had from the Planning & Development Branch on all working days up to 5.00 pm. The Registrar, Kannur University reserves the right to reject any of the tenders or all the tenders without assigning any reason whatsoever.

To

1. The Notice board
2. Website

  
Registrar(i/c)

**KANNUR UNIVERSITY**  
**TENDER SCHEDULE**

**NAME OF THE WORK:Electrical wiring works for Department of Molecular Biology At Palayad campus**

**LAST DATE OF SUBMISSION:**

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE INCLUDING ALL TAXES		AMOUNT	REMARKS
				RATE IN FIGURES	RATE IN WORDS		
1	1	Supplying and fixing following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface / recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)8 way (4 + 24), Double door	Each				
2	20	Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.Single pole	Each				
3	1	Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.100 amps	Each				
4	1	Supplying and fixing following rating, four pole, (three phase and neutral), 415 volts, residual current circuit breaker (RCCB), having a sensitivity current 30 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required.63 amps	Each				
5	250	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface / recessed steel/ PVC conduit as required.3 x 2.5 sq. Mm	mtr				

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE INCLUDING ALL TAXES		AMOUNT	REMARKS
				RATE IN FIGURES	RATE IN WORDS		
6	400	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface / recessed steel/ PVC conduit as required.3 x 4 sq. Mm	mtr				
7	230	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.20mm	mtr				
8	280	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.25mm	mtr				
9	5	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.32mm	mtr				
10	56	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.5/6 amps switch	Each				
11	56	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.3 pin 5/6 amp socket outlet	Each				
12	28	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. As required.8 Module	Each				
13	28	Supply & Fixing the following types/ sizes of boxes suitable for modular accessories in surface/ recess including making good the damages, colour washing etc as required (RoHS compliant )8 module moulded plastic box on surface	Each				

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE INCLUDING ALL TAXES		AMOUNT	REMARKS
				RATE IN FIGURES	RATE IN WORDS		
14	6	Supply and drawing 650/1100 V grade FRLS PVC insulated stranded single core copper conductor cables conforming to IS 694 part I 1990 in the existing surface / recess conduit as required including giving necessary connections of the following sizes.10.00 sq.mm 4 Run	mtr				
15	1	Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.Triple pole	Each				
16	14	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. As required.4 Module	Each				
17	16	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.15/16 amp switch	Each				
18	14	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.6 pin 15/16 amp socket outlet	Each				
19	14	Supply & Fixing the following types/ sizes of boxes suitable for modular accessories in surface/ recess including making good the damages, colour washing etc as required (RoHS compliant )4 module moulded plastic box on surface	Each				
20	16	Supply and Fixing the following modular switches & accessories in the existing front plates and giving necessary connections as required (RoHS compliant )25A SP switch with indicator	Each				

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE INCLUDING ALL TAXES		AMOUNT	REMARKS
				RATE IN FIGURES	RATE IN WORDS		
21	2	Supply & Fixing the following types/ sizes of boxes suitable for modular accessories in surface/ recess including making good the damages, colour washing etc as required (RoHS compliant )1 module moulded plastic box on surface	Each				
22	2	Supply & Fixing the following types/ sizes of boxes suitable for modular accessories in surface/ recess including making good the damages, colour washing etc as required (RoHS compliant )2 module moulded plastic box on surface	Each				
23	4	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. As required.1 or 2 Module	Each				
<b>TOTAL</b>							

\*Rate including GST

(Rupees .....Only)

**SIGNATURE**

**Name & Address of the Quotationer**

**Date**

**REGISTRAR**