

# KANNUR UNIVERSITY

PLD/C1/5900/UPS Installation/Cherusseri/TVKRA/2023

Date :14/05/2023

## NOTICE INVITING QUOTATIONS

Sealed competitive Quotations are invited from Registered/Authorised firms for the 'UPS Wiring Works for Cherusseri Auditorium at the Thavakkara Campus', Kannur University, Kannur - 2.

The Quotations shall reach the Registrar, Kannur University, Thavakkara Campus on or before **20/05/2023** at **3.00 pm** and will be opened at **3.30 pm** on the same day.

### Conditions

1. The rate should be inclusive of all Taxes and nothing extra shall be admissible over and rate quoted.
2. The Payment will be made through account payee cheque and no advance payment will be sanctioned.
3. Work shall be completed in **20 days** from the date of Agreement.

The Registrar, Kannur University reserves the right to reject any of the Quotations or all the Quotations without assigning any reasons whatsoever.

[For details of the work, the Engineering wing of the University may be contacted.No:9747888154]

Sd/-

**REGISTRAR(i/c)**

To

1. Notice Board
2. Official Website
3. AE (Electrical)

**KANNUR UNIVERSITY**  
**QUOTATION SCHEDULE**

**NAME OF THE WORK: UPS WIRING WORKS FOR CHERUSSERI AUDITORIUM AT THAVAKKARA CAMPUS**

**LAST DATE OF SUBMISSION:**

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE IN FIGURES	RATE IN WORDS	AMOUNT
1	15	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface / recessed steel/ PVC conduit as required.4 x 6 sq. Mm				
2	3	Supplying and fixing of following sizes of steel conduit along with accessories in surface/recess including painting in case of surface conduit, or cutting the wall and making good the same in case of recessed conduit as required.20 mm				
3	17	Supplying and fixing of following sizes of steel conduit along with accessories in surface/recess including painting in case of surface conduit, or cutting the wall and making good the same in case of recessed conduit as required.25 mm				
4	8	Supply and drawing 650/1100 V grade FRLS PVC insulated stranded single core copper conductor cables conforming to IS 694 part I 1990 in the existing surface / recess conduit as required including giving necessary connections of the following sizes.10.00 sq.mm 6 Run				
5	7	Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.Single pole				
6	2	Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.63 amps				
7	1	Supplying and fixing following rating, double pole, (single phase and neutral), 240 V, residual current circuit breaker (RCCB), having a sensitivity current 30 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required.63 amps				
		<b>TOTAL AMOUNT</b>				
		<b>GST @18%</b>				

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE IN FIGURES	RATE IN WORDS	AMOUNT
<b>TOTAL AMOUNT INCLUDING 18%GST</b>						

(Rupees .....Only)

**SIGNATURE**

**Name & Address of the of the of the Quotationer**

**Date**

**REGIS**



REMARKS

FRAR