# KANNUR UNIVERSITY (PM USHA-B SECTION)

TEL: 0497 2715321

email: registrar@kannuruniv.ac.in, sopmub@kannuruniv.ac.in

#### **RE-TENDER NOTICE**

PMU-B/BII/8750/2025

26.08.2025

Sealed tenders with superscription "Supply and Installation of camera Accessories" are invited from eligible, reputed, and bonafide agencies for the supply and Installation of Camera Accessories for selected Cameras to Various Kannur University Departments across Kannur, Wayanad, Kasaragod Districts (Under PM USHA Scheme), in accordance with the Technical Specifications and Schedule detailed below. Tender should reach the Registrar, Kannur University, Civil Station PO, Kannur - 670 002 on or before 2025 September 10, 3 PM and the tenders will be opened at 4 PM on same day. The Registrar, Kannur University reserves the right to accept or reject any tender without assigning any reason thereof.

TENDER NOTICE NO	No.PMU-B/BII/8750/2025
NAME OF WORK	Supply and Installation of various Camera Accessories
EMD	₹ 2,495/-
TENDER SUBMISSION FEE	₹ 590/- (Including 18% GST of ₹90)
MODE OF PAYMENT	Demand Draft
BID SUBMISSION END DATE AND TIME	2025 September 10, 3 pm
BID OPENING DATE AND TIME	2025 September 10, 4 pm

#### TECHNICAL SPECIFICATIONS AND LOCATION TO SUPPLY

SL	SELECTED CAMERA	Required Accessories	Specification		Location to Supply
1	Nikon Mirrorless Z5 KIT with Nikkor Z 24- 200MM F/4.63 VR LENS	Dry Cabinet	Capacity: 30 litres Humidity Control : Manual Display : Digital LCD Dual LED Monitor Compartments: 2 Power Supply : 110 - 220 V	1	Department of Anthropology, Dr Janaki Ammal Campus, Palayad, Thalassery,
		Wireless Mic For Camera	1000 feet wireless range Studio-Grade 48 KHz/24 bit Audio Power Source: Battery Powered Battery Life: 40 Hours No.Of Batteries: 4 Lithiom ion batteries (included type) Signal to Noise Ratio: 20 H to 20 kHZ Audio Sensitivity: 115 dB Polar Pattern: Omni directional	1	Kannur- 670 661

			No.of Channels : 2		
		Camera Bag	Style : Camera and Lens Backpack Waterproof :Yes Colour: Black Type of closure :Zipper	1	
		Battery for Camera	Battery for Nikon Z5 camera Battery No : EN-EL 15	1	
	Service and the service	U.V Filter	UV Filter for Nikon Z5 with Nikkor Z 24- 200 mm f/4.63 VR Lens	1	
		Flash for Camera	High Power flash output Fast recycle time Hotshot Type Battery Life: 8 Hours Flash Sync Speed: 1/200	1	
		Dry Cabinet	Capacity: 30 litres Humidity Control : Manual Display : Digital LCD Dual LED Monitor Compartments: 2 Power Supply : 110 - 220 V	1	
2	Nikon Mirrorless Z5 KIT with Nikkor Z 24- 200MM F/4.63 LENS	Camera	1000 feet wireless range Studio-Grade 48 KHz/24 bit Audio Power Source: Battery Powered Battery Life: 40 Hours No.Of Batteries: 4 Lithiom ion batteries (included type) Signal to Noise Ratio: 20 H to 20 kHZ Audio Sensitivity: 115 dB Polar Pattern: Omni directional No.of Channels: 2	1	Department of Journalism and Media Studies. Mangattuparamba Campus,
		Camera Bag	Style : Camera and Lens Backpack Waterproof :Yes Colour: Black Type of closure :Zipper	1	Mangattuparamba Campus P.O Kannur - 670 567
		Battery for Camera	Battery for Nikon Z5 camera Battery No : EN-EL 15	1	
		U.V Filter	UV Filter for Nikon Z5 with Nikkor Z 24- 200 mm f/4.63 VR Lens	-1	
		Flash for Camera	High Power flash output Fast recycle time Hotshot Type Battery Life: 8 Hours Flash Sync Speed: 1/200	1	
3	Sony Alpha ILCE-7M3K Camera with 28- 70 mm Lens	Dry Cabinet	Capacity: 30 litres Humidity Control : Manual Display : Digital LCD Dual LED Monitor Compartments: 2	1	Department of History. Mangattuparamba

		Camera Bag	Power Supply: 110 - 220 V  Style: Camera and Lens Backpack Waterproof: Yes Colour: Black Type of closure: Zipper	1	Campus, Mangattuparamba Campus P.O Kannur - 670 567
	Canon EOS R50 RF-S 18-45 mm f/4.5 - 6.3 IS STM	Dry Cabinet	Capacity: 30 litres Humidity Control : Manual Display : Digital LCD Dual LED Monitor Compartments: 2 Power Supply : 110 - 220 V	1	Department of Hindi Dr.P.K Rajan
		RF-S 18-45 mm f/4.5 - 6.3 IS STM	Camera Bag	Style : Camera and Lens Backpack Waterproof :Yes Colour: Black Type of closure :Zipper	1
5	Canon EOS R50 RF-S 18-45 mm f/4.5 - 6.3 IS STM	Dry Cabinet	Capacity: 30 litres Humidity Control : Manual Display : Digital LCD Dual LED Monitor Compartments: 2 Power Supply : 110 - 220 V	1	Department of Zoology Mananthavady Campus, Edavaka P O Wayanad - 670 645
6	Canon EOS R6 MKII 24-105 USM	Dry Cabinet	Capacity: 30 litres Humidity Control : Manual Display : Digital LCD Dual LED Monitor Compartments: 2 Power Supply : 110 - 220 V	1	
		Wireless Mic	1000 feet wireless range Studio-Grade 48 KHz/24 bit Audio Power Source: Battery Powered Battery Life: 40 Hours No.Of Batteries: 4 Lithiom ion batteries (included type) Signal to Noise Ratio: 20 H to 20 kHZ Audio Sensitivity: 115 dB Polar Pattern: Omni directional No.of Channels: 2	1	
		Camera Bag	Style : Camera and Lens Backpack Waterproof :Yes Colour: Black Type of closure :Zipper	1	
		Battery for Camera	Battery for Canon EOS R6 MK II 24-105 USM	1	

	Battery No. LP-E6NH		
Round Flash Kit	Coverage : Full Frame (28 to 105 mm)		
	Auto Zoom Head : Yes		
	Bounce Head : -7 to +120°		
	Swivel Head : 330°		
	Flash Duration: 1/300 to 1/20000		
	Second		
	Recycle Time : Approx : 1.5 Sec		
	Secondary Illumination: Modeling Light		
	Exposure Controll: Canon (E-TTL/E/ E-		
	TTL II)		
	Flash Models : Hi Speed Sync Second		
	Curtain Sync		
	Wireless Operation : radio	1	
	(TTL/manual) upto 328.08'/100 mm		
	(Master, Slave)		
	Wireless Chanels: 32		
	Wireless groups: 4		
	Internal Power: 1xRechargeable		Library (Library
	External Power Pack Compatible : No		
	Mount : Shoe		
	Camera terminal : 2.5 mm		
	Dimensions (WxHxD) :		
	3x7.8x3.7"/76x197x93 mm		Department of
	Weight: 1.17 lb/530g (with battery)		Malayalam
	Brightness': Range 0 -100%		Dr.P.K Rajan  Memorial Campus
	Display: LCD		Palathadam,
	reflector Mount : Bowens Mount		Nileswaram,
Video Light with	Colour temperature : 3200 - 5600 K	2	Kasaragod - 671
Reflector	Power Supply: AC 100 V - 240 V	2	314
	Max Power: 225 W		314
	(Soft Box and Video Light with reflector		
	are suitable to each other)		
	Size: 80 CM (approx. 31.5 Inches)		
	Shape : Octagonal		
	Mount: Bowens Mount		
0. (1. 0. 00. 014	Design : Umberlla Style		
Soft Box, 80 CM	Diffusers : Features both inner and	2	
	outer diffusers		
	(Soft Box and Video Light with reflector		Refer 16.33
	are suitable to each other)		
Light Stand 14 feet	Maximum Height :14 ft/168 Inch/472.2		
	cm	2	
	Folded Height: 3.5 ft/42 inch/106.7 cm		
	Maximum Load Capacity: 15 kg		
Gimbal	Load capacity : 6.6 lb/3 kg		

Connectivity Inpu (Control/Video), 1 Wireless Frequen Wireless Protocol Mobile App Comp and iOS) Battery Type: 1xl Battery capacity: Battery Runtime: Battery Charging Battery: Lithiom-lo Voltage: 7.2 VDC Power Opearating General Display T Screen OLED Operating Condition 20 to 45°C Materials: Alumini Mounting: 1 x 1/4 NATO rail Dimensions Folded: 10x9.6x3	n/Tilt/Roll: 360°/s its/Outputs: 3xUSB-C I x USB-C (Power) incy: 2.4 GHz I: Bluetooth 5.0 patible: Yes (Android  Built in 3000 mAh/21 Wh 12 Hours Time: 2.5 Hours on Polymer C g Voltage: 7.2 VDC Type: Fixed Touch  ions: -4 to 1130°F/- ium Alloy I"-20 Female, 2x  3"/ 255 x 245 x 75 mm 7.5 x 7.4 " /370 x191x
--	--

#### **TERMS AND CONDITIONS**

Tender form and General Conditions can be downloaded from University Website www.kannuruniversity.ac.in.

The acceptance of Tenders will be subject to the following conditions:

- 1. The Tender Fee and EMD should be remitted by way of Demand Draft drawn in favour of the Finance Officer, Kannur University, payable at Kannur.
- 2. The bidder should send, along with his tender, a preliminary agreement executed and signed in Kerala Stamp Paper of value of Rs.200/-(Format Available in the University Website).
- 3. The rate tendered should be inclusive of all taxes and charges for delivery and installation of items at the Department.
- 4. The bidders shall keep their rate firm for a period of 90 Days.
- 5. The bidder should have GST registration and the copy of the certificate shall invariably be attached with the tender documents.
- 6. The successful bidder shall, before signing the agreement and within the period specified in the letter of acceptance of this tender, deposit a sum equivalent to 5% of the value of the contract

### as Security Deposit.

- 7. The payment will be made through the account only after the delivery, testing and on proper presentation of the bills (in original and duplicate) along with advance stamped receipt specifying the letter of acceptance number and date. No advance payment will be made.
- 8. Tender Schedule is Attached as Annexure -1

PM USHP

Prof (Dr.) Wilson, V.A REGISTRAR (i/c)

## TENDER SCHEDULE

S1 No	Selected Camera	Required Accessories	Qty (Nos)	Unit Price (₹) Including GST	Total Amount (₹) Including GST	
	Nikon Mirrorless Z5	Dry Cabinet	2			
		Wireless Mic For	2			
		Camera	1			
1	KIT with	Camera Bag	2			
	Nikkor Z 24- 200MM F/4.63	Battery for	2			
	VR LENS	Camera	2			
		U.V Filter	2			
		Flash for Camera	2			
	Sony Alpha ILCE-7M3K	Dry Cabinet	1			
2	Camera with 28-70 mm Lens	Camera Bag	1			
	Canon EOS	Dry Cabinet	2			
3	R50 RF-S 18- 45 mm f/4.5 - 6.3 IS STM	Camera Bag	1			
	Canon EOS R6 MKII 24-105 USM	Dry Cabinet	1			
		Wireless Mic	1			
		Camera Bag	1			
		Battery for Camera	1			
4		Round Flash Kit	1			
		Video Light with Reflector	2			
		Soft Box, 80 CM	2			
		Light Stand 14	2			
		feet				
		Gimbal	1			
	Sum Total (Including GST) : (Rupeesonly)					

Signature :	
Name & Address of the Tenderer:	sd/- Registrar
Place & Date:	