

## PLD/E3/18592/2019 Part I

27.02.2025

Sealed competitive tenders super scribed as "Balance interlock paving works around synthetic track including balance path way to Boys hostel and path way to warm up track at Mangattuparamba Campus" are invited from registered competent Contractors/firms.

| S1. | Name of Work   | EMD        | Tender Fee | Time for the completion of               | Last date of       |
|-----|--|------------|------------|--|--------------------|
| No  |  | 21,12      |            | work                                     | submission         |
| 1   | 2  | 3          | 4          | 5  | 6                  |
| 1   | Balance interlock paving works around synthetic track including balance path way to Boys hostel and path way to warm up track at Mangattuparamba Campus" | Rs.8,108/- |            | 45 days from<br>the date of<br>Agreement | 14/03/2025<br>3 PM |

- 1. Tender Form can be had from Kannur University Website www.kannuruniversity.ac.in.
- 2. A sum of Rs.765/- (including GST @18%) towards the cost of Tender form and an amount of Rs.8,108/- as EMD should be remitted separately by way of Demand Draft drawn in favour of Finance Officer, Kannur University, payable at SBI South Bazar Branch, Kannur or Kannur Branch of any other Nationalized or scheduled Bank.
- 3. The Tenderer should send along with the tender an initial agreement executed and signed in Kerala Stamp Paper of value ₹ 200/-.
- 4. The Tenderer shall have valid GST registration and shall furnish a copy of registration certificate along with the tender documents.
- 5. The successful Tenderer before signing the Agreement and within the period specified in the work order, shall deposit a sum equivalent to 5% of the value of the contract as Performance Guarantee.
- 6. The rate quoted should be inclusive of GST and all other charges if any. The base rate, GST charges and other charges if any should be furnished separately and nothing extra shall be admissible over and above the rate quoted.
- 7. Payment will be made through account and no advance payment will be sanctioned
- 8. Received Tenders will be opened on 14/03/2025 at 3 30 PM
- 9. Details of work can be had from the Planning and Development Branch on all working days up to 5 pm.

The Registrar, Kannur University, reserves the right to reject any of the tenders or all the tenders without assigning any reason whatsoever.

Prof. (Dr.) Joby K Jose Registrar

V

To

1. Notice Board 2.Website

|      | KANNUR UNIVERSITY  |                 |       |                    |                   |          |
|------|--|-----------------|-------|--------------------|-------------------|----------|
|      | TENDER SCHEDULE  |                 |       |                    |                   |          |
| Nan  | Name of the work: Balance interlock paving works around synthetic track including balance path way to Boys hostel and path way   | ding b<br>a Cam | alanc | e path way t       | o Boys hostel and | path way |
|      |  |                 |       |                    | RATE              | TNIOMA   |
| ITEM | I ITEM DESCRIPTION   | QTY             | UNIT  | IN FIGURES<br>(Rs) | IN WORDS          | (Rs) +   |
| н    | 2.28.1 Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m.All kinds of soil   | 260             | sqm   |                    |                   |          |
| 7    | 16.91.1 Providing and laying factory made chamfered edge Cement Concrete paver blocksin footpath, providing and laying factory made chamfered edge Cement Concrete paver blocksin footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid inrequired colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layerthrough vibratory compaction by using plate vibrator, filling the joints with sand andcutting of paver blocks as per required size and pattern, finishing and sweepingextra sand. complete all as per direction of Engineer-in-Charge.60mm thick cement concrete paver block of M-35 grade with approved colour, design& pattern. | 260             | wbs   |                    |                   |          |
|      |  |                 |       |                    | TOTAL             |          |
|      |  |                 |       |                    | 18% GST           |          |
|      |  |                 |       |                    | Grand total       |          |
|      | (Ringes  |                 |       | (ylnO              |                   |          |
|      |  |                 |       |                    |                   |          |
|      |  |                 |       |                    |                   |          |